

	Hits	Search Text	DBs
1	0	LCD and driver\$2 and ((unused unconnected) adj3 driver adj3 pin\$2)	USPAT; US-PGPUB
2	0	LCD and ((unused unconnected) adj3 driver adj3 pin\$2)	USPAT; US-PGPUB
3	0	LCD and ((unused unconnected) adj3 driver adj3 pin\$2)	EPO; JPO; DERWENT; IBM TDB
4	1	LCD and driver\$2 and ((unused unconnected) with driver with pin\$2)	USPAT; US-PGPUB
5	0	LCD and (unused adj driver adj pins)	USPAT; US-PGPUB
6	0	LCD and (unused adj pins)	EPO; JPO; DERWENT; IBM TDB
7	1	LCD and (unused near6 pins)	EPO; JPO; DERWENT; IBM TDB
8	33	LCD and (unused adj pins)	USPAT; US-PGPUB
9	9	LCD and (unconnected adj pins)	USPAT; US-PGPUB
10	4	(LCD near6 driver) and (unconnected near2 pins)	USPAT; US-PGPUB
11	93	(LCD near6 driver) and (invalid with data)	USPAT; US-PGPUB
12	0	20010045926.URPN.	USPAT
13	0	20010045926.URPN.	USPAT
14	0	20010045926.URPN.	USPAT
15	0	20010045926.URPN.	USPAT
16	0	20010045926.URPN.	USPAT
17	0	20010045926.URPN.	USPAT
18	0	(LCD near6 driver) and (invalid with data)	EPO; JPO; DERWENT; IBM TDB
19	14	(LCD near6 driver) and ((unused unconnected) near6 pins)	USPAT; US-PGPUB
20	5	(LCD near6 driver) and ((unused unconnected) near6 terminals)	USPAT; US-PGPUB
21	1	(LCD near6 driver) and ((unused unconnected) near6 terminals)	EPO; JPO; DERWENT; IBM TDB
22	48	4922240.URPN.	USPAT
23	48	4922240.URPN.	USPAT
24	4	("3862360" "4582395" "4724433" "4789857").PN.	USPAT
25	2	("4082430" "4368523").PN.	USPAT

	Hits	Search Text	DBs
26	1	6380919.pn.	USPAT; US-PGPUB
27	0	6380919.URPN.	USPAT
28	0	6380919.URPN.	USPAT
29	0	6380919.URPN.	USPAT
30	14	("4338600" "4393405" "4745485" "4822142" "4870493" "4922240" "5051739" "5091722" "5093655" "5369417" "5642129" "5748165" "5781164" "5844538").PN.	USPAT
31	0	(multiple adj5 column adj5 driv\$4) and (dot near5 inversion)	USPAT; US-PGPUB
32	0	(multiple near6 column near6 driv\$4) and (dot near5 inversion)	USPAT; US-PGPUB
33	122	(multiple near6 column near6 driv\$4)	USPAT; US-PGPUB
34	1	(multiple near6 column near6 driv\$4) and ((unconnected unused) with (terminal\$3 pins))	USPAT; US-PGPUB
35	1	(multiple near6 column near6 driv\$4) and ((invalid ineffective) with (dat\$4))	USPAT; US-PGPUB
36	29	(multiple near6 column near6 driv\$4) and LCD	USPAT; US-PGPUB
37	1	(multiple near6 column near6 driv\$4) and LCD	EPO; JPO; DERWENT; IBM_TDB
38	0	(multiple near6 column near6 driv\$4) and ((unconnected) with (terminal\$3))	USPAT; US-PGPUB
39	82	(column near6 driv\$4) and ((unconnected unused) with (terminal\$3 pins))	USPAT; US-PGPUB
40	7	(column near6 driv\$4) and ((unconnected unused) with (terminal\$3 pins)) and LCD	USPAT; US-PGPUB
41	28	takahara.in. and LCD	USPAT; US-PGPUB
42	1	lcd and (dot near6 inversion) and ((unconnected unused) near9 (pins terminals bits))	USPAT; US-PGPUB
43	167	lcd and (dot near6 inversion)	USPAT; US-PGPUB
44	0	lcd and (dot near6 inversion) and ((unconnected unused) near9 (pins terminals bits))	EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
45	3	lcd and (dot near6 inversion) and ((unconnected unused auxiliary) with (pins terminals bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	4	lcd and (dot with inversion) and ((unconnected unused auxiliary) with (pins terminals bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	71	lcd and (dot near6 inversion) and even and odd	USPAT; US-PGPUB
48	2	6229513.URPN.	USPAT
49	10	("5010325" "5196738" "5252957" "5307085" "5657040" "5880707" "5900857" "5907314" "5929832" "6025835").PN.	USPAT
50	1	6229513.pn.	USPAT; US-PGPUB
51	2	6229513.URPN.	USPAT
52	10	("5010325" "5196738" "5252957" "5307085" "5657040" "5880707" "5900857" "5907314" "5929832" "6025835").PN.	USPAT
53	673	igarashi.in. and (pin terminal bit)	USPAT; US-PGPUB
54	2	igarashi.in. and ((unconnect\$5 unused) near9 (pin terminal bit))	USPAT; US-PGPUB
55	1	oowaki.in. and ((unconnect\$5 unused) near9 (pin terminal bit))	USPAT; US-PGPUB
56	5	nakano.in. and ((unconnect\$5 unused) near9 (pin terminal bit))	USPAT; US-PGPUB
57	7	nakano.in. and ((unconnect\$5 unused) near9 (pin terminal bit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	2	nakano.in. and ((unconnect\$5 unused) near9 (pin terminal bit))	EPO; JPO; DERWENT; IBM_TDB
59	3	igarashi.in. and ((unconnect\$5 unused) near9 (pin terminal bit))	EPO; JPO; DERWENT; IBM_TDB
60	1	LCD and (two near5 pixel near5 input near5 mode)	USPAT; US-PGPUB
61	1	LCD and (two near5 pixel near5 input near5 mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	8	LCD and (two with pixel\$2 with input with mode)	USPAT; US-PGPUB
63	1	LCD and (two with pixel\$2 with input with mode)	EPO; JPO; DERWENT; IBM_TDB
64	110	LCD and (pixel with mode)	EPO; JPO; DERWENT; IBM_TDB
65	4	LCD and (pixel with mode) and timi\$5	EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
66	796	LCD and (pixel with mode) and timi\$5	USPAT; US-PGPUB
67	0	LCD and (pixel adj mode) and timi\$5	EPO; JPO; DERWENT; IBM_TDB
68	3	LCD and (pixel near5 mode) and timi\$5	EPO; JPO; DERWENT; IBM_TDB
69	519	LCD and (pixel near5 mode) and timi\$5	USPAT; US-PGPUB
70	196	LCD and (pixel adj3 mode) and timi\$5	USPAT; US-PGPUB
71	1	LCD and (pixel adj mode) with timi\$5	USPAT; US-PGPUB
72	5	LCD and (pixel adj mode) same timi\$5	USPAT; US-PGPUB
73	47	LCD and (pixel adj mode) and timi\$5	USPAT; US-PGPUB
74	1	LCD and (two adj pixel adj mode)	USPAT; US-PGPUB
75	0	20020051511.URPN.	USPAT
76	0	20020051511.URPN.	USPAT
77	0	20020051511.URPN.	USPAT
78	0	20020051511.URPN.	USPAT
79	1	LCD and (two adj pixel adj mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	33	LCD and (two adj pixel with mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	53	LCD and (two adj3 pixel near5 mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	67	LCD and microprocessor and (clock adj counter) and comparator	USPAT; US-PGPUB
83	66	(LCD and microprocessor and (clock adj counter) and comparator) and switch	USPAT; US-PGPUB
84	4	LCD with (clock near4 counter) with comparator with switch	USPAT; US-PGPUB
85	183	(345/50).CCLS.	USPAT; US-PGPUB
86	307	(345/55).CCLS.	USPAT; US-PGPUB
87	1107	(345/87).CCLS.	USPAT; US-PGPUB
88	404	(345/92).CCLS.	USPAT; US-PGPUB

	Hits	Search Text	DBs
89	1245	(345/98-100).CCLS.	USPAT; US-PGPUB
90	146	(345/206).CCLS.	USPAT; US-PGPUB
91	0	((345/87).CCLS.) and LCD and (unused near6 pins)	EPO; JPO; DERWENT; IBM TDB
92	0	1-6 and LCD and (unused near6 pins)	EPO; JPO; DERWENT; IBM TDB